

CONDITIONS OF APPROVAL

Plot Plan (PEN19-0154)

Page 1

CITY OF MORENO VALLEY CONDITIONS OF APPROVAL Plot Plan (PEN19-0154)

EFFECTIVE DATE:

EXPIRATION DATE:

COMMUNITY DEVELOPMENT DEPARTMENT

Planning Division

1. Plot Plan PEN19-0154 is approved for development of a 19,324 square foot retail center on 2.45-acres located at the southwest corner of Moreno Beach Drive and John F. Kennedy Drive. The retail center to include a 13,324 square market and a 5,800 square foot retail building and a total of 115 parking spaces.
2. Any expansion to this use or exterior alterations will require the submittal of a separate application(s) and shall be reviewed and approved under separate permit(s). (MC 9.02.080)
3. The developer, or the developer's successor-in-interest, shall be responsible for maintaining any undeveloped portion of the site in a manner that provides for the control of weeds, erosion and dust. (MC 9.02.030)
4. This approval shall expire three years after the approval date of this project unless used or extended as provided for by the City of Moreno Valley Municipal Code; otherwise it shall become null and void and of no effect whatsoever. Use means the beginning of substantial construction contemplated by this approval within the three-year period, which is thereafter pursued to completion, or the beginning of substantial utilization contemplated by this approval. (MC 9.02.230)
5. All landscaped areas shall be maintained in a healthy and thriving condition, free from weeds, trash and debris. (MC 9.02.030)
6. This project is located within the Moreno Valley Ranch Specific Plan (SP 193). The provisions of the specific plan, the design manual, their subsequent amendments, and the Conditions of Approval shall prevail unless modified herein. (MC 9.13)
7. The site shall be developed in accordance with the approved plans on file in the Community Development Department - Planning Division, the Municipal Code regulations, General Plan, and the conditions contained herein. Prior to any use of the project site or business activity being commenced thereon, all Conditions of Approval shall be completed to the satisfaction of the Planning Official. (MC 9.14.020)

CONDITIONS OF APPROVAL

Plot Plan (PEN19-0154)

Page 2

8. Any signs indicated on the submitted plans are not included with this approval. Any signs, whether permanent (e.g. wall, monument) or temporary (e.g. banner, flag), require separate application and approval by the Planning Division. No signs are permitted in the public right of way. (MC 9.12)
9. All site plans, grading plans, landscape and irrigation plans, fence/wall plans, lighting plans and street improvement plans shall be coordinated for consistency with this approval.
10. A change or modification to the land use or the approved site plans may require a separate approval. Prior to any change or modification, the property owner shall contact the City of Moreno Valley Community Development Department to determine if a separate approval is required.

Special Conditions

11. The shopping center parking lot lighting shall be maintained in good repair and shall comply with the Municipal Code lighting standards.
12. Prior to grading permit issuance, the developer shall work with Planning, Transportation and Land Development to address design requirements for the bus bay on Moreno Beach Drive and related design changes to the adjacent street frontage, parkway and parking lot drive aisle. The design changes shall be completed to the satisfaction of the Community Development Director and Public Works Director.

Prior to Grading Permit

13. Prior to issuance of any grading permit, all Conditions of Approval shall be printed on the grading plans.
14. Prior to the issuance of grading permits, decorative (e.g. colored/scored concrete or as approve by the Planning Official) pedestrian pathways across circulation aisles/paths shall be provided throughout the development to connect dwellings with open spaces and/or recreational uses or commercial/industrial buildings with open space and/or parking. and/or the public right-of-way. The pathways shall be shown on the precise grading plan. (GP Objective 46.8, DG)
15. Prior to approval of any grading permits, final median enhancement/landscape/irrigation plans shall be submitted to the Planning Division and Public Works Department - Special Districts for review and approval by each division. (GP - Circulation Master Plan) Timing of installation shall be determined by PW-Special Districts.

CONDITIONS OF APPROVAL

Plot Plan (PEN19-0154)

Page 3

16. Prior to issuance of grading permits, the developer shall pay the applicable Stephens' Kangaroo Rat (SKR) Habitat Conservation Plan mitigation fee. (Ord)
17. If potential historic, archaeological, Native American cultural resources or paleontological resources are uncovered during excavation or construction activities at the project site, work in the affected area must cease immediately and a qualified person (meeting the Secretary of the Interior's standards (36CFR61)) shall be consulted by the applicant to evaluate the find, and as appropriate recommend alternative measures to avoid, minimize or mitigate negative effects on the historic, prehistoric, or paleontological resource. Determinations and recommendations by the consultant shall be immediately submitted to the Planning Division for consideration, and implemented as deemed appropriate by the Community Development Director, in consultation with the State Historic Preservation Officer (SHPO) and any and all affected Native American Tribes before any further work commences in the affected area.

If human remains are discovered during grading and other construction excavation, no further disturbance shall occur until the County Coroner has made necessary findings as to origin. If the County Coroner determines that the remains are potentially Native American, the California Native American Heritage Commission shall be notified within 5-days of the published finding to be given a reasonable opportunity to identify the "most likely descendant." The "most likely descendant" shall then make recommendations, and engage in consultations concerning the treatment of the remains (California Public Resources Code 5097.98). (GP Objective 23.3, CEQA).

18. Within thirty (30) days prior to any grading or other land disturbance, a pre-construction survey for Burrowing Owls shall be conducted pursuant to the established guidelines of Multiple Species Habitat Conservation Plan. The pre-construction survey shall be submitted to the Planning Division prior to any disturbance of the site and/or grading permit issuance.
19. Prior to the issuance of grading permits, the site plan and grading plans shall show decorative hardscape (e.g. colored concrete, stamped concrete, pavers or as approved by the Planning Official) consistent and compatible with the design, color and materials of the proposed development for all driveway ingress /egress locations of the project.
20. Prior to issuance of grading permits, the developer shall submit wall /fence plans to the Planning Division for review and approval as follows:
 - a. An eight foot tall wall is required along the portion of south property line adjacent to the residence located at 15104 La Casa Drive. A six foot tall is

CONDITIONS OF APPROVAL

Plot Plan (PEN19-0154)

Page 4

required along the south property line along the project's Via Sonata frontage to screen the retail center from the homes across the street. These walls shall be solid decorative block with pilasters and a cap.

b. 3-foot high decorative wall, solid hedge or berm shall be placed in any setback areas between a public right of way and a parking lot for screening.

c. Any proposed retaining walls shall also be decorative in nature, while the combination of retaining and other walls on top shall not exceed the height requirement.

d. Walls and fences for visual screening are required when there are adjacent residential uses or residentially zone property. The height, placement and design will be based on a site specific review of the project. All walls are subject to the approval of the Planning Official. (MC 9.08.070)

21. Prior to the issuance of grading permits, a temporary project identification sign shall be erected on the site in a secure and visible manner. The sign shall be conspicuously posted at the site and remain in place until occupancy of the project. The sign shall include the following:
 - a. The name (if applicable) and address of the development.
 - b. The developer's name, address, and a 24-hour emergency telephone number.
22. Prior to issuance of grading permits, the location of the trash enclosure shall be included on the plans.
23. Prior to issuance of any building permit, all Conditions of Approval shall be printed on the building plans.
24. Prior to the issuance of building permits, the developer shall provide documentation that contact was made to the U.S. Postal Service to determine the appropriate type and location of mailboxes.
25. Prior to the issuance of building permits, proposed covered trash enclosures shall be included in the Planning review of the Fence and Wall plan or separate Planning submittal. The trash enclosure(s), including the roof materials, shall be compatible with the architecture, color and materials of the building(s) design. Trash enclosure areas shall include landscaping on three sides. Approved design plans shall be included in a Building submittal (Fence and Wall or building design plans). (GP Objective 43.6, DG)
26. Prior to or at building plan check submittal, the site plan shall include the designated shopping cart areas which shall be approved by the Planning Division prior to the

CONDITIONS OF APPROVAL

Plot Plan (PEN19-0154)

Page 5

issuance of building permits. The cart area(s) shall not include areas designated for parking within each individual parcel. If a cart storage area is to be provided near the building, a low decorative block wall to screen the carts shall be provided under separate review and approval by the Planning Division.

27. Prior to issuance of any building permits, final landscaping and irrigation plans shall be submitted for review and approved by the Planning Division. After the third plan check review for landscape plans, an additional plan check fee shall apply. The plans shall be prepared in accordance with the City's Landscape Requirements and shall include:

a. A three (3) foot high decorative wall, solid hedge or berm shall be placed in any setback areas between a public right of way and a parking lot for screening.

b. Finger and end planters with required step outs and curbing shall be provided every 12 parking stalls as well as at the terminus of each aisle.

c. Diamond planters shall be provided every 3 parking stalls.

d. Drought tolerant landscape shall be used. Sod shall be limited to gathering areas.

e. Street trees shall be provided every 40 feet on center in the right of way.

f. On-site trees shall be planted at an equivalent of one (1) tree per thirty (30) linear feet of the perimeter of a parking lot and per thirty linear feet of a building dimension for the portions of the building visible from a parking lot or right of way. Trees may be massed for pleasing aesthetic effects.

g. Enhanced landscaping shall be provided at all driveway entries and street corner locations along with a screening tree row and landscape along the south property line. The review of all utility boxes, transformers etc. shall be coordinated to provide adequate screening from public view.

h. Landscaping on three sides of any trash enclosure.

i. All site perimeter and parking lot landscape and irrigation shall be installed prior to the release of certificate of any building final.

28. Prior to issuance of a building permit, the developer/property owner or developer's successor-in-interest shall pay all applicable impact fees due at permit issuance, including but not limited to Multi-species Habitat Conservation Plan (MSHCP) mitigation fees. (Ord)

CONDITIONS OF APPROVAL

Plot Plan (PEN19-0154)

Page 6

29. Prior to building final, the developer/owner or developer's/owner's successor-in-interest shall pay all applicable impact fees, including but not limited to Transportation Uniform Mitigation fees (TUMF), and the City's adopted Development Impact Fees. (Ord)
30. Prior to or at building plan check submittal, the elevation plans shall include decorative lighting sconces on all sides of the buildings of the complex facing a parking lot, courtyard or plaza, or public right of way or open space to provide up-lighting and shadowing on the structures. Include drawings of the sconce details for each building within the elevation plans, approved by the Planning Division prior to building permit issuance.
31. Prior to or at building plan check submittal, two copies of a detailed, on -site, computer generated, point-by-point comparison lighting plan, including exterior building, parking lot, and landscaping lighting, shall be submitted to the Planning Division for review and approval prior to the issuance of a building permit. The lighting plan shall be generated on the plot plan and shall be integrated with the final landscape plan. The plan shall indicate the manufacturer's specifications for light fixtures used, shall include style, illumination, location, height and method of shielding per the City's Municipal Code requirements. After the third plan check review for lighting plans, an additional plan check fee will apply. (MC 9.08.100, 9.16.280)
32. Prior to issuance of building permits, screening details shall be addressed on the building plans for roof top equipment submitted for Planning Division review and approval through the building plan check process. All equipment shall be completely screened so as not to be visible from public view, and the screening shall be an integral part of the building.
33. Prior to issuance of building permits, proposed covered trash enclosure (s) shall be included in the Planning review of the Fence and Wall plans. The trash enclosure (s), including the roof materials, shall be compatible with the architecture, color and materials of the building(s) design. Trash enclosure areas shall include landscaping on three sides unless located within the truck loading area. Approved design plans shall be included in a Building submittal (Fence and walls or building design plans). (GP Objective 43.6, DG)

Prior to Building Final or Occupancy

34. Prior to building final, all required landscaping and irrigation shall be installed per plan, certified by the Landscape Architect and inspected by the Planning Division . (MC 9.03.040, MC 9.17).

CONDITIONS OF APPROVAL

Plot Plan (PEN19-0154)

Page 7

35. Prior to building final, Planning approved/stamped landscape plans shall be provided to the Community Development Department – Planning Division on a CD disk.
36. Prior to building final, all required and proposed fences and walls shall be constructed according to the approved plans on file in the Planning Division. (MC 9.080.070).
37. Prior to building final, The Shopping Cart Containment Plan shall be submitted to the Planning Division for review and approval. Compliance with Ordinance 838 regarding the Containment of Shopping Carts will be on file with the Community Development Department – Code Compliance.

Building Division

38. The proposed non-residential project shall comply with the latest Federal Law, Americans with Disabilities Act, and State Law, California Code of Regulations, Title 24, Chapter 11B for accessibility standards for the disabled including access to the site, exits, bathrooms, work spaces, etc.
39. Prior to submittal, all new development, including residential second units, are required to obtain a valid property address prior to permit application. Addresses can be obtained by contacting the Building Safety Division at 951.413.3350.
40. Contact the Building Safety Division for permit application submittal requirements.
41. Any construction within the city shall only be as follows: Monday through Friday seven a.m. to seven p.m.(except for holidays which occur on weekdays), eight a.m. to four p.m.; weekends and holidays (as observed by the city and described in the Moreno Valley Municipal Code Chapter 2.55), unless written approval is first obtained from the Building Official or City Engineer.
42. Building plans submitted shall be signed and sealed by a California licensed design professional as required by the State Business and Professions Code.
43. The proposed development shall be subject to the payment of required development fees as required by the City's current Fee Ordinance at the time a building application is submitted or prior to the issuance of permits as determined by the City.
44. The proposed project will be subject to approval by the Eastern Municipal Water District and all applicable fees and charges shall be paid prior to permit issuance . Contact the water district at 951.928.3777 for specific details.

CONDITIONS OF APPROVAL

Plot Plan (PEN19-0154)

Page 8

45. All new structures shall be designed in conformance to the latest design standards adopted by the State of California in the California Building Code, (CBC) Part 2, Title 24, California Code of Regulations including requirements for allowable area, occupancy separations, fire suppression systems, accessibility, etc.
46. The proposed non-residential project shall comply with 2016 California Green Building Standards Code, Section 5.106.5.3, mandatory requirements for Electric Vehicle Charging Station (EVCS).
47. The proposed project's occupancy shall be classified by the Building Official and must comply with exiting, occupancy separation(s) and minimum plumbing fixture requirements. Minimum plumbing fixtures shall be provided per the 2016 California Plumbing Code, Table 422.1. The occupant load and occupancy classification shall be determined in accordance with the California Building Code.
48. Prior to permit issuance, every applicant shall submit a properly completed Waste Management Plan (WMP), as a portion of the building or demolition permit process. (MC 8.80.030)

ECONOMIC DEVELOPMENT DEPARTMENT (EDD)

49. New Moreno Valley businesses may work with the Economic Development Department to coordinate job recruitment fairs.
50. New Moreno Valley businesses may adopt a "First Source" approach to employee recruitment that gives notice of job openings to Moreno Valley residents for one week in advance of the public recruitment.
51. New Moreno Valley businesses are encouraged to hire local residents.
52. New Moreno Valley businesses are encouraged to provide a job fair flyer and/or web announcement to the City in advance of job recruitments, so that the City can assist in publicizing these events.
53. New Moreno Valley businesses may utilize the workforce recruitment services provided by the Moreno Valley Employment Resource Center ("ERC").

The ERC offers no cost assistance to businesses recruiting and training potential employees. Complimentary services include:

- Job Announcements
- Applicant testing / pre-screening
- Interviewing
- Job Fair support
- Training space

CONDITIONS OF APPROVAL

Plot Plan (PEN19-0154)

Page 9

FIRE DEPARTMENT

Fire Prevention Bureau

54. Prior to issuance of Certificate of Occupancy or Building Final, all commercial buildings shall display street numbers in a prominent location on the street side and rear access locations. The numerals shall be a minimum of twelve inches in height . (CFC 505.1, MVMC 8.36.060[I])
55. Prior to issuance of Certificate of Occupancy or Building Final, the applicant/developer shall install a fire alarm system monitored by an approved Underwriters Laboratory listed central station based on a requirement for monitoring the sprinkler system, occupancy or use. Fire alarm panel shall be accessible from exterior of building in an approved location. Plans shall be submitted to the Fire Prevention Bureau for approval prior to installation. (CFC Chapter 9 and MVMC 8.36.100)
56. A fire extinguisher with a minimum rating of 3A:40BC shall be mounted in an accessible location within the cell site enclosure next to the fueled generator.
57. Prior to issuance of Certificate of Occupancy or Building Final, the applicant/developer shall install a fire sprinkler system based on square footage and type of construction, occupancy or use. Fire sprinkler plans shall be submitted to the Fire Prevention Bureau for approval prior to installation. (CFC Chapter 9, MVMC 8.36.100[D])
58. All Fire Department access roads or driveways shall not exceed 12 percent grade. (CFC 503.2.7 and MVMC 8.36.060[G])
59. The Fire Department emergency vehicular access road shall be (all weather surface) capable of sustaining an imposed load of 80,000 lbs. GVW, based on street standards approved by the Public Works Director and the Fire Prevention Bureau. The approved fire access road shall be in place during the time of construction. Temporary fire access roads shall be approved by the Fire Prevention Bureau. (CFC 501.4, and MV City Standard Engineering Plan 108d)
60. The angle of approach and departure for any means of Fire Department access shall not exceed 1 ft drop in 20 ft (0.3 m drop in 6 m), and the design limitations of the fire apparatus of the Fire Department shall be subject to approval by the AHJ. (CFC 503 and MVMC 8.36.060)
61. Prior to construction, all locations where structures are to be built shall have an approved Fire Department access based on street standards approved by the

CONDITIONS OF APPROVAL

Plot Plan (PEN19-0154)

Page 10

Public Works Director and the Fire Prevention Bureau. (CFC 501.4)

62. Prior to issuance of Building Permits, the applicant/developer shall provide the Fire Prevention Bureau with an approved site plan for Fire Lanes and signage. (CFC 501.3)
63. Prior to issuance of Certificate of Occupancy or Building Final, "Blue Reflective Markers" shall be installed to identify fire hydrant locations in accordance with City specifications. (CFC 509.1 and MVLT 440A-0 through MVLT 440C-0)
64. Existing fire hydrants on public streets are allowed to be considered available. Existing fire hydrants on adjacent properties shall not be considered available unless fire apparatus access roads extend between properties and easements are established to prevent obstruction of such roads. (CFC 507, 501.3) a - After the local water company signs the plans, the originals shall be presented to the Fire Prevention Bureau for signatures. The required water system, including fire hydrants, shall be installed, made serviceable, and be accepted by the Moreno Valley Fire Department prior to beginning construction. They shall be maintained accessible.
65. Final fire and life safety conditions will be addressed when the Fire Prevention Bureau reviews building plans. These conditions will be based on occupancy, use, California Building Code (CBC), California Fire Code (CFC), and related codes, which are in effect at the time of building plan submittal.
66. The Fire Code Official is authorized to enforce the fire safety during construction requirements of Chapter 33. (CFC Chapter 33 & CBC Chapter 33)
67. Fire lanes and fire apparatus access roads shall have an unobstructed width of not less than twenty-four (24) feet and an unobstructed vertical clearance of not less than thirteen (13) feet six (6) inches. (CFC 503.2.1 and MVMC 8.36.060[E])
68. Prior to issuance of the building permit for development, independent paved access to the nearest paved road, maintained by the City shall be designed and constructed by the developer within the public right of way in accordance with City Standards. (MVMC 8.36.060, CFC 501.4)
69. Prior to issuance of a Certificate of Occupancy or Building Final, a "Knox Box Rapid Entry System" shall be provided. The Knox-Box shall be installed in an accessible location approved by the Fire Code Official. All exterior security emergency access gates shall be electronically operated and be provided with Knox key switches for access by emergency personnel. (CFC 506.1)
70. The minimum number of fire hydrants required, as well as the location and spacing of fire hydrants, shall comply with the C.F.C., MVMC, and NFPA 24. Fire hydrants

CONDITIONS OF APPROVAL

Plot Plan (PEN19-0154)

Page 11

shall be located no closer than 40 feet to a building. A fire hydrant shall be located within 50 feet of the fire department connection for buildings protected with a fire sprinkler system. The size and number of outlets required for the approved fire hydrants are (6" x 4" x 2 ½" x 2 ½") (CFC 507.5.1, 507.5.7, Appendix C, NFPA 24-7.2.3, MVMC 912.2.1)

71. Fire Department access driveways over 150 feet in length shall have a turn-around as determined by the Fire Prevention Bureau capable of accommodating fire apparatus. (CFC 503 and MVMC 8.36.060, CFC 501.4)
72. If construction is phased, each phase shall provide an approved emergency vehicular access way for fire protection prior to any building construction. (CFC 501.4)
73. Plans for private water mains supplying fire sprinkler systems and/or private fire hydrants shall be submitted to the Fire Prevention Bureau for approval. (CFC 105 and CFC 3312.1)
74. The Fire Prevention Bureau is required to set a minimum fire flow for the remodel or construction of all commercial buildings per CFC Appendix B and Table B 105.1. The applicant/developer shall provide documentation to show there exists a water system capable of delivering said waterflow for 2 hour(s) duration at 20-PSI residual operating pressure. The required fire flow may be adjusted during the approval process to reflect changes in design, construction type, or automatic fire protection measures as approved by the Fire Prevention Bureau. Specific requirements for the project will be determined at time of submittal. (CFC 507.3, Appendix B)
75. Prior to construction, all traffic calming designs/devices must be approved by the Fire Marshal and City Engineer.
76. Prior to building construction, dead end roadways and streets which have not been completed shall have a turnaround capable of accommodating fire apparatus. (CFC 503.2.5)
77. Prior to issuance of Building Permits, the applicant/developer shall furnish one copy of the water system plans to the Fire Prevention Bureau for review. Plans shall: a. Be signed by a registered civil engineer or a certified fire protection engineer; b . Contain a Fire Prevention Bureau approval signature block; and c. Conform to hydrant type, location, spacing of new and existing hydrants and minimum fire flow required as determined by the Fire Prevention Bureau. The required water system, including fire hydrants, shall be installed, made serviceable, and be accepted by the Moreno Valley Fire Department prior to beginning construction. They shall be maintained accessible.

CONDITIONS OF APPROVAL

Plot Plan (PEN19-0154)

Page 12

FINANCIAL & MANAGEMENT SERVICES DEPARTMENT

Moreno Valley Utility

78. This project requires the installation of electric distribution facilities . A non-exclusive easement shall be provided to Moreno Valley Utility and shall include the rights of ingress and egress for the purpose of operation, maintenance, facility repair, and meter reading.
79. This project requires the installation of electric distribution facilities. The developer shall submit a detailed engineering plan showing design, location and schematics for the utility system to be approved by the City Engineer. In accordance with Government Code Section 66462, the Developer shall execute an agreement with the City providing for the installation, construction, improvement and dedication of the utility system following recordation of final map and /or concurrent with trenching operations and other improvements so long as said agreement incorporates the approved engineering plan and provides financial security to guarantee completion and dedication of the utility system.

The Developer shall coordinate and receive approval from the City Engineer to install, construct, improve, and dedicate to the City all utility infrastructure including but not limited to, conduit, equipment, vaults, ducts, wires (including fiber optic cable), switches, conductors, transformers, and “bring-up” facilities including electrical capacity to serve the identified development and other adjoining, abutting, or benefiting projects as determined by Moreno Valley Utility – collectively referred to as “utility system”, to and through the development, along with any appurtenant real property easements, as determined by the City Engineer necessary for the distribution and/or delivery of any and all “utility services” to and within the project. For purposes of this condition, “utility services” shall mean electric, cable television, telecommunication (including video, voice, and data) and other similar services designated by the City Engineer. “Utility services” shall not include sewer, water, and natural gas services, which are addressed by other conditions of approval.

The City, or the City’s designee, shall utilize dedicated utility facilities to ensure safe, reliable, sustainable and cost effective delivery of utility services and maintain the integrity of streets and other public infrastructure. Developer shall, at developer's sole expense, install or cause the installation of such interconnection facilities as may be necessary to connect the electrical distribution infrastructure within the project to the Moreno Valley Utility owned and controlled electric distribution system.

80. Existing Moreno Valley Utility electrical infrastructure shall be preserved in place . The developer will be responsible, at developer’s expense, for any and all costs associated with the relocation of any of Moreno Valley Utility ’s underground electrical distribution facilities, as determined by Moreno Valley Utility, which may

CONDITIONS OF APPROVAL

Plot Plan (PEN19-0154)

Page 13

be in conflict with any developer planned construction on the project site.

81. This project is subject to a Reimbursement Agreement. The Developer is responsible for a proportionate share of costs associated with electrical distribution infrastructure previously installed that directly benefits the project. Payment shall be required prior to issuance of building permits.

PUBLIC WORKS DEPARTMENT

Land Development

82. Aggregate slurry, as defined in Section 203-5 of Standard Specifications for Public Works Construction, shall be required prior to 90% security reduction or the end of the one-year warranty period of the public streets as approved by the City Engineer. If slurry is required, a slurry mix design shall be submitted for review and approved by the City Engineer. The latex additive shall be Ultra Pave 70 (for anionic) or Ultra Pave 65 K (for cationic) or an approved equal per the geotechnical report. The latex shall be added at the emulsion plant after weighing the asphalt and before the addition of mixing water. The latex shall be added at a rate of two to two-and-one-half (2 to 2½) parts to one-hundred (100) parts of emulsion by volume. Any existing striping shall be removed prior to slurry application and replaced per City standards.
83. The developer shall comply with all applicable City ordinances and resolutions including the City's Municipal Code (MC) and if subdividing land, the Government Code (GC) of the State of California, specifically Sections 66410 through 66499.58, said sections also referred to as the Subdivision Map Act (SMA). [MC 9.14.010]
84. The final approved conditions of approval (COAs) issued and any applicable Mitigation Measures by the Planning Division shall be photographically or electronically placed on mylar sheets and included in the Grading and Street Improvement plans.
85. The developer shall monitor, supervise and control all construction related activities, so as to prevent these activities from causing a public nuisance, including but not limited to, insuring strict adherence to the following:
 - (a) Removal of dirt, debris, or other construction material deposited on any public street no later than the end of each working day.
 - (b) Observance of working hours as stipulated on permits issued by the Land Development Division.
 - (c) The construction site shall accommodate the parking of all motor vehicles used by persons working at or providing deliveries to the site.
 - (d) All dust control measures per South Coast Air Quality Management District (SCAQMD) requirements during the grading operations.

CONDITIONS OF APPROVAL

Plot Plan (PEN19-0154)

Page 14

Violation of any condition, restriction or prohibition set forth in these conditions shall subject the owner, applicant, developer or contractor (s) to remedy as noted in City Municipal Code 8.14.090. In addition, the City Engineer or Building Official may suspend all construction related activities for violation of any condition, restriction or prohibition set forth in these conditions until such time as it has been determined that all operations and activities are in conformance with these conditions.

86. Drainage facilities (e.g., catch basins, water quality basins, etc.) with sump conditions shall be designed to convey the tributary 100-year storm flows. Secondary emergency escape shall also be provided.
87. If improvements associated with this project are not initiated within two (2) years of the date of approval of the Public Improvement Agreement (PIA), the City Engineer may require that the engineer's estimate for improvements associated with the project be modified to reflect current City construction costs in effect at the time of request for an extension of time for the PIA or issuance of a permit. [MC 9.14.210(B)(C)]
88. The developer shall protect downstream properties from damage caused by alteration of drainage patterns (i.e. concentration or diversion of flow, etc). Protection shall be provided by constructing adequate drainage facilities, including, but not limited to, modifying existing facilities or by securing a drainage easement. [MC 9.14.110]
89. This project shall submit civil engineering design plans, reports and /or documents (prepared by a registered/licensed civil engineer) for review and approval by the City Engineer per the current submittal requirements, prior to the indicated threshold or as required by the City Engineer. The submittal consists of, but is not limited to, the following:
 - a. Rough grading w/ erosion control plan (prior to grading permit issuance);
 - b. Precise grading w/ erosion control plan (prior to grading permit issuance);
 - c. Public improvement plan (e.g., street/storm drain w/ striping, sewer/water, etc.) (prior to encroachment permit issuance);
 - d. Final drainage study (prior to grading plan approval);
 - e. Final WQMP (prior to grading plan approval);
 - f. Legal documents (e.g., dedications, etc.) (prior to building permit issuance);
 - g. As-Built revision for all plans (prior to Occupancy release);

Prior to Grading Plan Approval

90. Resolution of all drainage issues shall be as approved by the City Engineer.
91. A final detailed drainage study (prepared by a registered/licensed civil engineer) shall be submitted for review and approved by the City Engineer. The study shall

CONDITIONS OF APPROVAL

Plot Plan (PEN19-0154)

Page 15

include, but not be limited to: existing and proposed hydrologic conditions as well as hydraulic calculations for all drainage control devices and storm drain lines. The study shall analyze 1, 3, 6 and 24-hour duration events for the 2, 5, 10 and 100-year storm events [MC 9.14.110(A.1)]. A digital (pdf) copy of the approved drainage study shall be submitted to the Land Development Division.

92. Emergency overflow areas shall be shown at all applicable drainage improvement locations in the event that the drainage improvement fails or exceeds full capacity.
93. A final project-specific Water Quality Management Plan (WQMP) shall be submitted for review and approved by the City Engineer, which:
- a. Addresses Site Design Best Management Practices (BMPs) such as minimizing impervious areas, maximizing permeability, minimizes directly connected impervious areas to the City's street and storm drain systems, and conserves natural areas;
 - b. Incorporates Source Control BMPs and provides a detailed description of their implementation;
 - c. Describes the long-term operation and maintenance requirements for BMPs requiring maintenance; and
 - d. Describes the mechanism for funding the long-term operation and maintenance of the BMPs.

A copy of the final WQMP template can be obtained on the City's Website or by contacting the Land Development Division. A digital (pdf) copy of the approved final project-specific Water Quality Management Plan (WQMP) shall be submitted to the Land Development Division.

94. The developer shall ensure compliance with the City Grading ordinance, these Conditions of Approval and the following criteria:
- a. The project street and lot grading shall be designed in a manner that perpetuates the existing natural drainage patterns with respect to tributary drainage area and outlet points. Unless otherwise approved by the City Engineer, lot lines shall be located at the top of slopes.
 - b. Any grading that creates cut or fill slopes adjacent to the street shall provide erosion control, sight distance control, and slope easements as approved by the City Engineer.
 - c. All improvement plans are substantially complete and appropriate clearance letters are provided to the City.
 - d. A soils/geotechnical report (addressing the soil's stability and geological conditions of the site) shall be submitted to the Land Development Division for review. A digital (pdf) copy of the soils/geotechnical report shall be submitted to the Land Development Division.
95. Grading plans (prepared by a registered/licensed civil engineer) shall be submitted for review and approved by the City Engineer per the current submittal

CONDITIONS OF APPROVAL

Plot Plan (PEN19-0154)

Page 16

requirements.

96. A Storm Water Pollution Prevention Plan (SWPPP) shall be prepared in conformance with the State's current Construction Activities Storm Water General Permit. A copy of the current SWPPP shall be kept at the project site and be available for review upon request.
97. Any proposed trash enclosure shall include a solid cover (roof) and sufficient size for dual bin (one for trash and one for recyclables). The architecture shall be approved by the Planning Division and any structural approvals shall be made by the Building & Safety Division.
98. For projects that will result in discharges of storm water associated with construction with a soil disturbance of one or more acres of land, the developer shall submit a Notice of Intent (NOI) and obtain a Waste Discharger's Identification number (WDID#) from the State Water Quality Control Board (SWQCB) which shall be noted on the grading plans.

Prior to Grading Permit

99. A receipt showing payment of the Area Drainage Plan (ADP) fee to Riverside County Flood Control and Water Conservation District shall be submitted. [MC 9.14.100(O)]
100. For non-subdivision projects, a copy of the Covenants, Conditions and Restrictions (CC&Rs) shall be submitted for review by the City Engineer. The CC&Rs shall include, but not be limited to, access easements, reciprocal access, private and/or public utility easements as may be relevant to the project.
101. A digital (pdf) copy of all approved grading plans shall be submitted to the Land Development Division.
102. Security, in the form of a cash deposit (preferable), bond or letter of credit shall be submitted as a guarantee of the implementation and maintenance of erosion control measures. At least twenty-five (25) percent of the required security shall be in the form of a cash deposit with the City. [MC 8.21.160(H)]
103. Security, in the form of a cash deposit (preferable), bond or letter of credit shall be submitted as a guarantee of the completion of the grading operations for the project. [MC 8.21.070]
104. The developer shall pay all applicable inspection fees.

CONDITIONS OF APPROVAL

Plot Plan (PEN19-0154)

Page 17

Prior to Improvement Plan Approval

105. The developer is required to bring any existing access ramps adjacent to and fronting the project to current ADA (Americans with Disabilities Act) requirements. However, when work is required in an intersection that involves or impacts existing access ramps, all access ramps in that intersection shall be retrofitted to comply with current ADA requirements, unless otherwise approved by the City Engineer. This also includes the pedestrian ramp at the NWC of Via Entrada/Via Sonata
106. The developer shall submit clearances from all applicable agencies, and pay all applicable plan check fees.
107. The street improvement plans shall comply with current City policies, plans and applicable City standards (i.e. MVS1-160 series, etc.) throughout this project.
108. Drainage facilities (i.e. catch basins, etc.) with sump conditions shall be designed to convey the tributary 100-year storm flows. Secondary emergency escape shall also be provided.
109. The hydrology study shall be designed to accept and properly convey all off-site drainage flowing onto or through the site. In the event that the City Engineer permits the use of streets for drainage purposes, the provisions of current City standards shall apply. Should the quantities exceed the street capacity or the use of streets be prohibited for drainage purposes, as in the case where one travel lane in each direction shall not be used for drainage conveyance for emergency vehicle access on streets classified as minor arterials and greater, the developer shall provide adequate facilities as approved by the City Engineer. [MC 9.14.110 A.2]
110. All public improvement plans (prepared by a licensed/registered civil engineer) shall be submitted for review and approved by the City Engineer per the current submittal requirements.
111. Any missing or deficient existing improvements along the project frontage shall be constructed or secured for construction. The City Engineer may require the ultimate structural section for pavement to half-street width plus 18 feet or provide core test results confirming that existing pavement section is per current City Standards; additional signing & striping to accommodate increased traffic imposed by the development, etc.
112. All dry and wet utilities shall be shown on the plans and any crossings shall be potholed to determine actual location and elevation. Any conflicts shall be identified and addressed on the plans. The pothole survey data shall be submitted to Land Development with the public improvement plans for reference purposes only. The developer is responsible to coordinate with all affected utility companies and bear

CONDITIONS OF APPROVAL

Plot Plan (PEN19-0154)

Page 18

all costs of any utility relocation.

- 113. All driveway approaches shall be designed per standard MVSI-112C-0.
- 114. The proposed bus turn-out on Moreno Beach Drive shall be designed per standard MVSI-161-0.

Prior to Encroachment Permit

- 115. A digital (pdf) copy of all approved improvement plans shall be submitted to the Land Development Division.
- 116. All applicable inspection fees shall be paid.
- 117. For non-subdivision projects, execution of a Public Improvement Agreement (PIA) and/or security (in the form of a cash deposit or other approved means) may be required as determined by the City Engineer. [MC 9.14.220]
- 118. The plans shall indicate any restrictions on trench repair pavement cuts to reflect the City's moratorium on disturbing newly-constructed pavement less than three (3) years old and recently slurry sealed streets less than one (1) year old. Pavement cuts may be allowed for emergency repairs or as specifically approved in writing by the City Engineer. Special requirements shall be imposed for repaving, limits to be determined by the City Engineer.
- 119. Any work performed within public right-of-way requires an encroachment permit.

Prior to Building Permit

- 120. An engineered-fill certification, rough grade certification and compaction report shall be submitted for review and approved by the City Engineer. A digital (pdf) copy of the approved compaction report shall be submitted to the Land Development Division. All pads shall meet pad elevations per approved grading plans as noted by the setting of "blue-top" markers installed by a registered land surveyor or licensed civil engineer.
- 121. For non-subdivision projects, the developer shall guarantee the completion of all related public improvements required for this project by executing a Public Improvement Agreement (PIA) with the City and posting the required security. [MC 9.14.220]
- 122. For Commercial/Industrial projects, the owner may have to secure coverage under the State's General Industrial Activities Storm Water Permit as issued by the State Water Resources Control Board.

CONDITIONS OF APPROVAL

Plot Plan (PEN19-0154)

Page 19

123. A walk through with a Land Development Inspector shall be scheduled to inspect existing improvements within public right of way along project frontage. Any missing, damaged or substandard improvements including ADA access ramps that do not meet current City standards shall be required to be installed, replaced and /or repaired. The applicant shall post security to cover the cost of the repairs and complete the repairs within the time allowed in the public improvement agreement used to secure the improvements.
124. Certification to the line, grade, flow test and system invert elevations for the water quality control BMPs shall be submitted for review and approved by the City Engineer (excluding models homes).
125. Additional right-of-way shall be dedicated at the knuckle on Via Sonata per standard MVSI-162-0.

Prior to Occupancy

126. All outstanding fees shall be paid.
127. All required as-built plans (prepared by a registered/licensed civil engineer) shall be submitted for review and approved by the City Engineer per the current submittal requirements.
128. The final/precise grade certification shall be submitted for review and approved by the City Engineer.
129. For commercial, industrial and multi-family projects, in compliance with Proposition 218, the developer shall agree to approve the City of Moreno Valley NPDES Regulatory Rate Schedule that is in place at the time of certificate of occupancy issuance. Under the current permit for storm water activities required as part of the National Pollutant Discharge Elimination System (NPDES) as mandated by the Federal Clean Water Act, this project is subject to the following requirements:
 - a. Select one of the following options to meet the financial responsibility to provide storm water utilities services for the required continuous operation, maintenance, monitoring system evaluations and enhancements, remediation and/or replacement, all in accordance with Resolution No. 2002-46.
 - i. Participate in the mail ballot proceeding in compliance with Proposition 218, for the Common Interest, Commercial, Industrial and Quasi-Public Use NPDES Regulatory Rate Schedule and pay all associated costs with the ballot process; or
 - ii. Establish an endowment to cover future City costs as specified in the Common Interest, Commercial, Industrial and Quasi-Public Use NPDES Regulatory Rate Schedule.

CONDITIONS OF APPROVAL

Plot Plan (PEN19-0154)

Page 20

- b. Notify the Special Districts Division of the intent to request building permits 90 days prior to their issuance and the financial option selected. The financial option selected shall be in place prior to the issuance of certificate of occupancy . [California Government Code & Municipal Code]
130. The developer shall complete all public improvements in conformance with current City standards, except as noted in the Special Conditions, including but not limited to the following:
- a. Street improvements including, but not limited to: pavement, base, curb and/or gutter, cross gutters, spandrel, sidewalks, drive approaches, pedestrian ramps, street lights (MVU: SL-2), signing, striping, under sidewalk drains, landscaping and irrigation, medians, pavement tapers/transitions and traffic control devices as appropriate.
 - b. Storm drain facilities including, but not limited to: storm drain pipe, storm drain laterals, open channels, catch basins and local depressions.
 - c. City-owned utilities.
 - d. Sewer and water systems including, but not limited to: sanitary sewer, potable water and recycled water.
 - e. Under grounding of all existing and proposed utilities adjacent to and on -site. [MC 9.14.130]
 - f. Relocation of overhead electrical utility lines including, but not limited to : electrical, cable and telephone.
131. For commercial, industrial and multi-family projects, a "Stormwater Treatment Device and Control Measure Access and Maintenance Covenant ", "Maintenance Agreement for Water Quality Improvements located in the public right -of-way" and a "Declaration of Restrictive Covenants (encroachment on City easement)" shall be recorded to provide public notice of the maintenance requirements to be implemented per the approved final project-specific WQMP. A boilerplate copy of the covenants and agreements can be obtained by contacting the Land Development Division.
132. The applicant shall ensure the following, pursuant to Section XII. I. of the 2010 NPDES Permit:
- a. Field verification that structural Site Design, Source Control and Treatment Control BMPs are designed, constructed and functional in accordance with the approved Final Water Quality Management Plan (WQMP).
 - b. Certification of best management practices (BMPs) from a state licensed civil engineer. An original WQMP BMP Certification shall be submitted for review and approved by the City Engineer.
133. The Developer shall comply with the following water quality related items:
- a. Notify the Land Development Division prior to construction and installation of all structural BMPs so that an inspection can be performed.

CONDITIONS OF APPROVAL

Plot Plan (PEN19-0154)

Page 21

- b. Demonstrate that all structural BMPs described in the approved final project-specific WQMP have been constructed and installed in conformance with the approved plans and specifications;
- c. Demonstrate that Developer is prepared to implement all non -structural BMPs described in the approved final project-specific WQMP; and
- d. Demonstrate that an adequate number of copies of the approved final project-specific WQMP are available for future owners/occupants.
- e. Clean and repair the water quality BMP's, including re-grading to approved civil drawing if necessary.
- f. Obtain approval and complete installation of the irrigation and landscaping.

Special Districts Division

134. This project is conditioned for a proposed district to provide a funding source for the operation and maintenance of public improvements and /or services associated with new development in that territory. The Developer shall satisfy this condition with one of the options outlined below.

a. Participate in a special election for maintenance/services and pay all associated costs of the election process and formation, if any. Financing may be structured through a Community Facilities District, Landscape and Lighting Maintenance District, or other financing structure as determined by the City; or

b. Establish an endowment fund to cover the future maintenance and /or service costs.

The Developer must notify the Special Districts Division at 951.413.3480 or at specialdistricts@moval.org when submitting the application for building permit issuance. If the first building permit is pulled prior to formation of the district, this condition will not apply. If the district has been or is in the process of being formed the Developer must inform the Special Districts Division of its selected financing option (a. or b. above). The option for participating in a special election requires 90 days to complete the special election process. This allows adequate time to be in compliance with the provisions of Article 13C of the California Constitution.

The financial option selected shall be in place prior to the issuance of the first certificate of occupancy for the project.

135. This project is conditioned to provide a funding source for the following special financing program(s):

a. Street Lighting Services for capital improvements, energy charges, and maintenance.

CONDITIONS OF APPROVAL

Plot Plan (PEN19-0154)

Page 22

The Developer's responsibility is to provide a funding source for the capital improvements and the continued maintenance. The Developer shall satisfy this condition with one of the options below.

i. Participate in a special election (mail ballot proceeding) and pay all associated costs of the special election and formation, if any. Financing may be structured through a Community Services District zone, Community Facilities District, Landscape and Lighting Maintenance District, or other financing structure as determined by the City; or

ii. Establish a Property Owner's Association (POA) or Home Owner's Association (HOA) which will be responsible for any and all operation and maintenance costs

The Developer must notify the Special Districts Division at 951.413.3480 or at specialdistricts@moval.org of its selected financial option when submitting the application for building permit issuance. The option for participating in a special election requires approximately 90 days to complete the special election process. This allows adequate time to be in compliance with the provisions of Article 13C of the California Constitution.

The financial option selected shall be in place prior to the issuance of the first certificate of occupancy for the project.

136. Commercial (BP) If Land Development, a Division of the Public Works Department, requires this project to supply a funding source necessary to provide for, but not limited to, stormwater utilities services for the continuous operation, remediation and/or replacement, monitoring, systems evaluations and enhancement of on-site facilities and performing annual inspections of the affected areas to ensure compliance with state mandated stormwater regulations, a funding source needs to be established. The Developer must notify the Special Districts Division at 951.413.3480 or at specialdistricts@moval.org of its selected financial option for the National Pollution Discharge Elimination System (NPDES) program when submitting the application for the first building permit issuance (see Land Development's related condition). Participating in a special election the process requires a 90 day period prior to the City's issuance of a building permit. This allows adequate time to be in compliance with the provisions of Article 13D of the California Constitution. (California Health and Safety Code Sections 5473 through 5473.8 (Ord. 708 Section 3.1, 2006) & City of Moreno Valley Municipal Code Title 3, Section 3.50.050.)
137. This project has been identified to be included in the formation of a Community Facilities District (Mello-Roos) for Public Safety services, including but not limited to Police, Fire Protection, Paramedic Services, Park Rangers, and Animal Control

CONDITIONS OF APPROVAL

Plot Plan (PEN19-0154)

Page 23

services. The property owner(s) shall not protest the formation; however, they retain the right to object to the rate and method of maximum special tax. In compliance with Proposition 218, the property owner shall agree to approve the mail ballot proceeding (special election) for either formation of the CFD or annexation into an existing district. The Developer must notify the Special Districts Division at 951.413.3480 or at specialdistricts@moval.org when submitting the application for building permit issuance to determine the requirement for participation. If the first building permit is pulled prior to formation of the district, this condition will not apply. If the condition applies, the special election will require a minimum of 90 days prior to issuance of the first building permit. This allows adequate time to be in compliance with the provisions of Article 13C of the California Constitution. (California Government Code Section 53313 et. seq.)

138. The ongoing maintenance of any landscaping required to be installed behind the curb shall be the responsibility of the property owner.
139. Modification of existing irrigation systems for parkway improvements may be required per the direction of, approval by and coordination with the Special Districts Division. Please contact Special District Division staff at 951.413.3480 or specialdistricts@moval.org to coordinate the modifications.
140. Any damage to existing landscape areas maintained by the City of Moreno Valley due to project construction shall be repaired/replaced by the Developer, or Developer's successors in interest, at no cost to the City of Moreno Valley.
141. The removal of existing trees with four-inch or greater trunk diameters (calipers), shall be replaced, at a three to one ratio, with minimum twenty-four (24) inch box size trees of the same species, or a minimum thirty-six (36) inch box for a one to one replacement, where approved. (MC 9.17.030)
142. The parcel(s) associated with this project have been incorporated into the Moreno Valley Community Services District Zone A (Parks & Community Services) and Zone C (Arterial Street Lighting). All assessable parcels therein shall be subject to annual parcel taxes for Zone A and Zone C for operations and capital improvements.
143. MAJOR INFRASTRUCTURE FINANCING DISTRICT. This project has been identified to potentially be included in the formation of a special financing district for the construction and maintenance of major infrastructure improvements which may include but are not limited to thoroughfares, bridges, and certain flood control improvements. The property owner(s) shall participate in such district and pay any special tax, assessment, or fee levied upon the project property for such district. At the time of the public hearing to consider formation of or annexation into the district, the qualified elector(s) will not protest the formation or annexation, but will retain the right to object to any eventual tax/assessment/fee that is not equitable should the

CONDITIONS OF APPROVAL

Plot Plan (PEN19-0154)

Page 24

financial burden of the tax/assessment/fee not be reasonably proportionate to the benefit the affected property obtains from the improvements to be installed and /or maintained. The Developer must notify the Special Districts Division at 951.413.3480 or at specialdistricts@moval.org when submitting an application for the first building permit to determine whether the development will be subjected to this condition. If subject to the condition, the special election requires a minimum 90 day process in compliance with the provisions of Article 13C of the California Constitution.

144. NEW STREET LIGHT INSTALLATION FEES. Prior to the issuance of the first building permit for this project, the Developer shall pay New Street Light Installation Fees for all applicable Residential and Arterial Street Lights required for this development. Payment shall be made to the City of Moreno Valley and collected by the Land Development Division. Fees are based upon the Advanced Energy fee rate in place at the time of payment, as set forth in the current Listing of City Fees, Charges, and Rates adopted by City Council. The Developer shall provide a copy of the receipt to the Special Districts Division (specialdistricts@moval.org). Any change in the project which may increase the number of street lights to be installed will require payment of additional Advanced Energy fees at the then current fee. Questions may be directed to the Special Districts Division at 951.413.3480 or specialdistricts@moval.org.

Transportation Engineering Division

145. Conditions of approval may be modified if project is phased or altered from any approved plans.
146. All proposed on-site traffic signing and striping should be accordance with the latest California Manual on Uniform Traffic Control Devices (CAMUTCD).
147. Moreno Beach Drive is classified as a Divided Major Arterial at this location (134' RW/110'CC) per City Standard Plan No. MVSI-101A-0. Communication conduits along project frontage may be required per City Standard Plan No. MVSI-186-0. Any improvements undertaken by this project shall be consistent with the City's standards for this facility.
148. John F. Kennedy Drive is classified as a Minor Arterial (88'RW/64'CC) per City Standard Plan No. MVSI-105A-0. Any improvements undertaken by this project shall be consistent with the City's standards for this facility.
149. Via Entrada is classified as a Collector (66'RW/44'CC) per City Standard Plan No. MVSI-106B-0. Any improvements undertaken by this project shall be consistent with the City's standards for this facility.

CONDITIONS OF APPROVAL

Plot Plan (PEN19-0154) Page

25

150. Via Sonata is classified as a residential street (60'RW/40'CC). Any improvements undertaken by this project shall be consistent with the City's standards for this facility.
151. The driveways shall conform to City of Moreno Valley Standard No. MVSI-112C-0 for Commercial Driveway Approaches. Access at the driveways shall be allowed as follows:
 - Moreno Beach Drive driveway: right turn in/out only.
 - John F. Kennedy Drive driveway: right turn in/out only.
152. Prior to the final approval of the street improvement plans, a signing and striping plan shall be prepared per City of Moreno Valley Standard Plans - Section 4 for street sections along the project frontages.
153. Prior to the final approval of the street improvement plans, a median improvement plan shall be prepared by a registered civil engineer for a raised concrete median on John F. Kennedy Drive along the project frontage from Via Entrada to Moreno Beach Drive.
154. Prior to the final approval of the street improvement plans, a bus turnout shall be designed per the latest City of Moreno Valley Standard Plans for southbound traffic and shall be located on the west side of Moreno Beach Drive, between the project driveway and John F. Kennedy Drive.
155. Prior to issuance of an encroachment permit for work within the public right -of-way, construction traffic control plans prepared by a qualified, registered Civil or Traffic engineer shall be required for plan approval or as required by the City Traffic Engineer.
156. Prior to final approval of the landscape plans and construction plans for any type of fencing or monument sign, the project plans shall demonstrate that sight distance at the project driveway conforms to City Standard Plan No. MVSI-164A-0 through MVSI-164C-0. Trees, plants, shrubs, fence and monument signing shall not be located in an area that obstructs the drivers' line-of-sight.
157. Prior to issuance of Certificate of Occupancy, raised median improvement on John F. Kennedy Drive along the project frontage shall be completed and fully operational per the approved plans to the satisfaction of the City Engineer. Median construction shall include but not be limited to: paving, concrete curbs, signing and striping.
158. Prior to issuance of Certificate of Occupancy, a bus turnout shall be constructed for southbound traffic on the west side of Moreno Beach Drive, between the project driveway and John F. Kennedy Drive.

CONDITIONS OF APPROVAL

Plot Plan (PEN19-0154)

Page 26

159. Prior to issuance of Certificate of Occupancy, all signing and striping shall be installed per current City Standards and the approved plans.